

E. Mail: <u>sarbjitsarb1988@gmail.com</u>

*Corresponding Author: Singh Prem Prakash

ABSTRACT

The objective of the study was to know the selected Anthropometric variables among different game athletes. 45 male subjects (15each groups) of Dr. RMLA University, Ayodhya were selected with age ranging from 18 to 28 years to act as a subject for the study. For the objective of the study following Anthropometric variables were selected- sitting height, standing height, forearm length, total arm length & leg length. Data on all the anthropometric variables was measure in Anthropometric lab at the department of Physical Education. In order to assess the various selected anthropometric variables descriptive statistics namely Mean, Standard Deviation was determined. In inferential statistics, One-way ANOVA was applied for comparison of selected anthropometric variables among Cricket, Soccer and Hockey players at Intercollegiate Level, There was no significant difference found among male intercollegiate players of Soccer, Cricket and Hockey games on their Anthropometric variables. **Keywords:** Anthropometric Variables & different Game Athletes.



ISSN: 2394 –7985	H JOURNAL OF PHYSICAL EDUCATIO PEER REVIEWED	PRINTED & ONLINE
VOLUME: X	ISSUE: I	AUGUST-2022
		Bi –Annual
International Peer Reviewed, Re	fereed & Indexed Research Journal	
INDEXED BY:		
INTERNATIONAL SCIEN	NTIFIC INDEXING (ISI) - UAE	
ADVANCED SCIENCES I	NDEX (ASI) - GERMANY	
INTERNATIONAL SOCI	ETY FOR RESEARCH ACTIVIT	ГҮ (ISRA) - INDIA
SCIENTIFIC JOURNAL I	MPACT FACTOR (SJIF) – IND	A @August 2022 IRJPESS
	Leave at Ta atam (ICD A. HT), CT	

IRJPESS Impact Factor (ISRA: JIF): SJIF: 6.356 6.334, 7.436 Website: www.sportiournals.org.in

INTODUCTION

The achievement and improvement in any sports is mainly based upon the specialization of that particular sports so that it is necessary to provide a very definite and scientific procedure for training technique in order to obtain the most economical and effective performance. Measurement of body size includes such descriptive data such as height, weight, length, width, and circumference of the various body segments. It has been found that top athlete in some sports tend to have that proportion that biomechanically aid the particular performance require.

Anthropometric measurements are the most effective application for finding out body, size, shape and composition. It helps a lot in sports talent and team selection, sports counseling and measurements of obesity for health related physical fitness. Anthropometry has a great contribution in sports sciences and sports medicine. Scientists were use various terms in numerous times like Dynamic Anthropometry, Sports Anthropometry, Biometry, Physiological Anthropometry, Kinthropometry etc. to find out the relationship between bodily structure and specialized function requires for various tasks. The scientific terminology given to the measurement of man Anthropometric measurements are widely used to assess and predict performance in various sports.

OBJECTIVE OF THE STUDY

The objective of the study was to know the selected Anthropometric variables among different game athletes.

HYPOTHESIS

It is hypothesized that, there would be significant difference on selected anthropometric measurements.

DESIGN OF THE STUDY

A total number of 45 male subjects (15each groups) of Dr. RMLA University, Ayodhya were selected with age ranging from 18 to 27 years to act as a subject for the



INTERNATIONAL RESEARC ISSN: 2394 –7985 VOLUME: X	H JOURNAL OF PHYSICAL EDUCATION A PEER REVIEWED ISSUE: I	AND SPORTS SCIENCES PRINTED & ONLINE AUGUST-2022 Bi –Annual
International Peer Reviewed, Re	fereed & Indexed Research Journal	DI –Alinual
INDEXED BY:		
INTERNATIONAL SCIEN	NTIFIC INDEXING (ISI) - UAE	
ADVANCED SCIENCES I	NDEX (ASI) - GERMANY	
INTERNATIONAL SOCI	ETY FOR RESEARCH ACTIVITY	(ISRA) - INDIA
SCIENTIFIC JOURNAL I	MPACT FACTOR (SJIF) – INDIA	@August 2022 IRJPESS
IRJPESS	Impact Factor (ISRA: JIF): SJIF	
	Website: ww	ww.sportjournals.org.in

study. For the purpose of the study following Anthropometric variables were selectedsitting height, standing height, forearm length, total arm length & leg length. Data on all the anthropometric variables was measure in Anthropometric lab at the department of Physical Education. All the necessary information pertaining to the requirement of the procedure was imparted to the subjects beforehand. In order to assess the various selected anthropometric variables descriptive statistics namely Mean, Standard Deviation was determined. In inferential statistics One-way ANOVA was applied for comparison of selected anthropometric variables among Cricket, Soccer and Hockey players at Intercollegiate Level. The level of significance was set at 0.05 level.

RELIABILITY OF DATA

In order to ensure the reliability of data, the investigator was well equipped with the technique of conducting the test. The investigator has been given number of practice sessions in testing of all the variables. The selected anthropometric variables were measured by the scientific equipment available at Anthropometry Laboratory of concerned university.

STATISTICAL TECHNIQUE

The collected data was analyzed by using various Descriptive and Inferential Statistics. In order to assess the various selected anthropometric variables descriptive statistics namely Mean, Standard Deviation, was determined. In inferential statistics One-way ANOVA was applied for comparison of selected anthropometric variables among male Cricket, Soccer and Hockey players at intercollegiate level. The level of significance was set at 0.05 level.



INTERNATIONAL RESEARCH JOURNAL OF PHYSICAL EDUCATION AND SPORTS SCIENCES					
ISSN: 2394 –7985	PEER REVIEWED	PRINTED & ONLINE			
VOLUME: X	ISSUE: I	AUGUST-2022			
		Bi – Annual			

International Peer Reviewed, Refereed & Indexed Research Journal

INDEXED BY: INTERNATIONAL SCIENTIFIC INDEXING (ISI) - UAE ADVANCED SCIENCES INDEX (ASI) - GERMANY INTERNATIONAL SOCIETY FOR RESEARCH ACTIVITY (ISRA) - INDIA SCIENTIFIC JOURNAL IMPACT FACTOR (SJIF) – INDIA @August 2022 IRJPESS IRJPESS Impact Factor (ISRA: JIF): SJIF: 6.356 6.334, 7.436

Website: www.sportiournals.org.in

Table-1


Mean scores and standard deviation of Standing Height of male Soccer, Cricket and Hockey players

Game	(N)	Mean	Standard Deviation
Soccer	15	1.68E2	7.63
Cricket	15	1.69E2	6.66
Hockey	15	1.67E2	8.50
Total	45	1.68E2	7.53

Table –1. Reveals that the mean score of Hockey players are lowest while Cricket players have the highest mean value on Standing Height. Standard deviation of Cricket players has lowest value while Hockey players have the highest standard deviation in scores.

Figure-1

The graphical representation of mean and standard deviation of Standing Height of male Soccer, Cricket and Hockey intercollegiate level players of H.N.B.G. University





INTERNATIONAL RESEARC	CH JOURNAL OF PHYSICAL EDUCATION A	AND SPORTS SCIENCES
ISSN: 2394 –7985	PEER REVIEWED	PRINTED & ONLINE
VOLUME: X	ISSUE: I	AUGUST-2022
		Bi –Annual
International Peer Reviewed, Re	efereed & Indexed Research Journal	
INDEXED BY:		
INTERNATIONAL SCIEN	NTIFIC INDEXING (ISI) - UAE	
ADVANCED SCIENCES I	INDEX (ASI) - GERMANY	
INTERNATIONAL SOCI	ETY FOR RESEARCH ACTIVITY	(ISRA) - INDIA
SCIENTIFIC JOURNAL I	MPACT FACTOR (SJIF) – INDIA	@August 2022 IRJPESS
IRJPESS	Impact Factor (ISRA: JIF): SJIF	: 6.356 6.334, 7.436
	Website: ww	w.sportiournals.org.in

Table-1.1
One-way analysis of variance (ANOVA) on Standing Height of male Soccer,

Cricket and Hockey players							
Variable	Source of		Degree of		F-Ratio	F-ratio	
	variance	Sum of	freedom	Mean	Table	Calculated	
		Squares	(df)	Square	vale	value	Sig.
	Between	46.06	2	23.03		•	
Standing	Groups	40.00	2	25.05			
Height	Within	2450.77	42	58.35	3.23	0.395	0.676
	Groups	2430.77	42	36.55			
	Total	2496.83	44				

Table-1.1. clearly shows that calculated F-ratio (.395) is lower than tabulated value of F (3.23) at 0.05 level of significance. Therefore, no significant difference in Standing Height between Soccer, Cricket and Hockey intercollegiate level players of H.N.B.G. University

Table-2 Mean scores and standard deviation of Sitting Height of male Soccer, Cricket and Hockey players

Game	(N)	Mean	Standard Deviation
Soccer	15	88.01	4.92
Cricket	15	84.45	4.59
Hockey	15	84.38	4.35
Total	45	85.61	4.83

Table -2. Reveals that the mean score of Hockey players are lowest while Soccer players has the highest mean value on Sitting Height. Standard deviation of Hockey players has lowest value while Soccer players have the highest standard deviation in scores.



INTERNATIONAL RESEARC ISSN: 2394 –7985 VOLUME: X	H JOURNAL OF PHYSICAL EDUCATION PEER REVIEWED ISSUE: I	N AND SPORTS SCIENCES PRINTED & ONLINE AUGUST-2022 Bi –Annual
International Peer Reviewed, Re	fereed & Indexed Research Journal	
INDEXED BY:		
INTERNATIONAL SCIEN	TIFIC INDEXING (ISI) - UAE	
ADVANCED SCIENCES I	NDEX (ASI) - GERMANY	
INTERNATIONAL SOCIE	ETY FOR RESEARCH ACTIVIT	ΓΥ (ISRA) - INDIA
SCIENTIFIC JOURNAL I	MPACT FACTOR (SJIF) – IND	IA @August 2022 IRJPESS
IRJPESS	Impact Factor (ISRA: JIF): SJ	IF: 6.356 6.334, 7.436
	Website: v	www.sportjournals.org.in

Figure-2

The graphical representation of mean and standard deviation of Sitting Height of male Soccer, Cricket and Hockey intercollegiate level players of H.N.B.G. University




Table-2.1

One-way analysis of variance (ANOVA) on Sitting Height of male Soccer, Cricket and Hockey players

Cricket and nockey players							
Variable	Source of		Degree of		F- Ratio	F-ratio	
	variance	Sum of	freedom	Mean	Table	Calculated	
		Squares	(df)	Square	vale	value	Sig.
	Between	129.15	2	64.578			
Sitting Height	Groups		_	0.11070			
	Within	899.83	42	21.43	3.23	3.014	.060
	Groups	077.03	12	21.15			
	Total	1028.99	44				

Table-2.1.Clearly shows that calculated F-ratio (3.014) is lower than tabulated value of F (3.23) at 0.05 level of significance. Therefore, no significant difference in Sitting Height among male Soccer, Cricket and Hockey intercollegiate level players of H.N.B.G. University.



INTERNATIONAL RESEARCI	H JOURNAL OF PHYSICAL EDUCATION	N AND SPORTS SCIENCES
ISSN: 2394 –7985	PEER REVIEWED	PRINTED & ONLINE
VOLUME: X	ISSUE: I	AUGUST-2022
		Bi –Annual
International Peer Reviewed, Ref	fereed & Indexed Research Journal	
INDEXED BY:		
INTERNATIONAL SCIEN	TIFIC INDEXING (ISI) - UAE	
ADVANCED SCIENCES I	NDEX (ASI) - GERMANY	
INTERNATIONAL SOCIE	ETY FOR RESEARCH ACTIVI	ГҮ (ISRA) - INDIA
SCIENTIFIC JOURNAL I	MPACT FACTOR (SJIF) – IND	IA @August 2022 IRJPESS
IRJPESS	Impact Factor (ISRA: JIF): SJ	IF: 6.356 6.334, 7.436
	Website: v	www.sportjournals.org.in

Mean score	es and standard dev	Fable-3 iation of Arm Leng d Hockey players	th of male Soccer,
Game	(N)	Mean	Standard Deviation
Soccer	15	73.07	3.31
Cricket	15	74.18	4.19
Hockey	15	74.80	5.06
Total	45	74.02	4.21

Table –3. Reveals that the mean score of Cricket players are lowest while Soccer players has the highest mean value on Arm Length. Standard deviation of Soccer players has lowest value while Hockey players has the highest standard deviation in scores.

Figure-3 The graphical representation of mean and standard deviation of Arm Length of male Soccer, Cricket and Hockey intercollegiate level players of H.N.B.G. University



INTERNATIONAL RESEARC	CH JOURNAL OF PHYSICAL EDUCATION	AND SPORTS SCIENCES
ISSN: 2394 –7985	PEER REVIEWED	PRINTED & ONLINE
VOLUME: X	ISSUE: I	AUGUST-2022
		Bi –Annual
International Peer Reviewed, Re	efereed & Indexed Research Journal	
INDEXED BY:		
INTERNATIONAL SCIEN	NTIFIC INDEXING (ISI) - UAE	
ADVANCED SCIENCES	INDEX (ASI) - GERMANY	
INTERNATIONAL SOCI	ETY FOR RESEARCH ACTIVII	TY (ISRA) - INDIA
SCIENTIFIC JOURNAL I	MPACT FACTOR (SJIF) – INDI	A @August 2022 IRJPESS
IRJPESS	Impact Factor (ISRA: JIF): SJI	F: 6.356 6.334, 7.436
	Website w	www.snortiournals.org.in

Table-3.1

One-way analysis of variance (ANOVA) on Arm Length of male Soccer, Cricket and Hockey players

Variable	Source of variance	Sum of Squares	Degree of freedom (df)	Mean Square	F Ratio Table vale	F ratio Calculated value	Sig.
Arm Length	Between Groups	22.966	2	11.483			
Ann Dengu	Within Groups	759.622	42	18.086	3.23	0.635	0.535
	Total	782.589	44				

Table-3.1 Clearly shows that calculated F-ratio (.635) is lower than tabulated value of F (3.23) at 0.05 level of significance. Therefore, no significant difference in Arm Length among male Soccer, Cricket and Hockey intercollegiate level players of H.N.B.G. University

 Table-4

 Mean scores and standard deviation of Forearm Length of Soccer, Cricket and Hockey players

Game	(N)	Mean	Standard Deviation
Soccer	15	42.54	2.29
Cricket	15	41.48	3.08
Hockey	15	42.93	2.89
Total	45	42.32	2.78



INTERNATIONAL RESEARCH ISSN: 2394 –7985 VOLUME: X	H JOURNAL OF PHYSICAL EDUCATION PEER REVIEWED ISSUE: I	N AND SPORTS SCIENCES PRINTED & ONLINE AUGUST-2022 Bi –Annual
International Peer Reviewed, Re	fereed & Indexed Research Journal	Di minut
INDEXED BY:		
INTERNATIONAL SCIEN	TIFIC INDEXING (ISI) - UAE	
ADVANCED SCIENCES I	NDEX (ASI) - GERMANY	
INTERNATIONAL SOCIE	ETY FOR RESEARCH ACTIVIT	ΓΥ (ISRA) - INDIA
SCIENTIFIC JOURNAL I	MPACT FACTOR (SJIF) – IND	A @August 2022 IRJPESS
IRJPESS	Impact Factor (ISRA: JIF): SJI	IF: 6.356 6.334, 7.436
	Website: w	www.sportjournals.org.in

Table -4 reveals that the mean score of Cricket players are lowest while Hockey players has the highest mean value on Forearm Length. Standard deviation of Soccer players has

lowest value while Cricket players has the highest standard deviation in scores.

Figure-4

The graphical representation of mean and standard deviation of Forearm Length of male Soccer, Cricket and Hockey intercollegiate level players of H.N.B.G. University



Table-4.1

One-way analysis of variance (ANOVA) on Forearm Length of male Soccer, **Cricket and Hockey players**

variable	Source of variance	Sum of Squares	Degree of freedom (df)	Mean Square	F Ratio Table vale	F ratio Calculated value	Sig.
Forearm	Between Groups	16.834	2	8.417			
Length	Within Groups	324.266	42	7.721	3.23	1.090	0.345
	Total	341.101	44				



	H JOURNAL OF PHYSICAL EDUCATION A	
ISSN: 2394 –7985	PEER REVIEWED	PRINTED & ONLINE
VOLUME: X	ISSUE: I	AUGUST-2022
		Bi –Annual
International Peer Reviewed, Re	fereed & Indexed Research Journal	
INDEXED BY:		
INTERNATIONAL SCIEN	NTIFIC INDEXING (ISI) - UAE	
ADVANCED SCIENCES I	NDEX (ASI) - GERMANY	
INTERNATIONAL SOCIE	ETY FOR RESEARCH ACTIVITY	Y (ISRA) - INDIA
SCIENTIFIC JOURNAL I	MPACT FACTOR (SJIF) – INDIA	@August 2022 IRJPESS
IRJPESS	Impact Factor (ISRA: JIF): SJIF	: 6.356 6.334, 7.436
	Website: ww	w.sportjournals.org.in

Table-4.1 Clearly shows that calculated F-ratio (1.090) is lower than tabulated value of F (3.23) at 0.05 level of significance. Therefore, no significant difference in Forearm Length among male Soccer, Cricket and Hockey intercollegiate level players of H.N.B.G. University

Table-5	
Mean scores and standard deviation of Leg Length of male Soccer, Crick	et and Hockey players

Game	(N)	Mean	Standard Deviation
Soccer	15	86.96	4.01
Cricket	15	87.82	5.52
Hockey	15	85.55	6.42
Total	45	86.78	5.37

Table –5 reveals that the mean score of Hockey players are lowest while Cricket players has the highest mean value on Leg Length. Standard deviation of Soccer players has lowest value while Hockey players has the highest standard deviation in scores.

Table-5.1

One-way analysis of variance (ANOVA) on Leg Length of Soccer, Cricket and Hockey players

Variation	Source of variance	Sum of Squares	Degree of freedom (df)	Mean Square	F Ratio Table vale	F ratio Calculated value	Sig.
Leg Length	Between Groups	39.48	2	19.74			
	Within Groups	1229.46	42	29.27	3.23	0.675	0.515
	Total	1268.95	44				

Table-5.1 Clearly shows that calculated F-ratio (0.675) is lower than tabulated value of F (3.23) at 0.05 level of significance. Therefore, no significant difference in Leg



INTERNATIONAL RESEARCH JOURNAL OF PHYSICAL EDUCATION AND SPORTS SCIENCES					
ISSN: 2394 –7985	PEER REVIEWED	PRINTED & ONLINE			
VOLUME: X	ISSUE: I	AUGUST-2022			
		Bi –Annual			
International Peer Reviewed, Refereed & Indexed Research Journal					

INDEXED BY: INTERNATIONAL SCIENTIFIC INDEXING (ISI) - UAE ADVANCED SCIENCES INDEX (ASI) - GERMANY INTERNATIONAL SOCIETY FOR RESEARCH ACTIVITY (ISRA) - INDIA SCIENTIFIC JOURNAL IMPACT FACTOR (SJIF) – INDIA @August 2022 IRJPESS IRJPESS Impact Factor (ISRA: JIF): SJIF: 6.356 6.334, 7.436 Website: www.sportiournals.org.in

Length among male Soccer, Cricket and Hockey intercollegiate level players of H.N.B.G. University.

CONCLUSION

There was no significant difference found among male intercollegiate players of Soccer, Cricket and Hockey games on their Anthropometric variable i.e. Height (standing & sitting), Forearm Length, Total Arm Length & Leg Length. It may be concluded that all the three game players are having more or less same type of body characteristics at intercollegiate level.

REFERENCES

- Danu Pooja (November 2016) Analysis of selected Anthropometrical and Psychological Variable In Relation to Athletic Performance among boys and girls of senior secondary school of Bhandara District (Doctoral dissertation)
- Kansal k. Devinder(2012) Anthropomertic Tests, A practical approach to tast measurement and evaluation, SSS Publication New Delhi
- Kansal k. Devinder, (1996) Test and Measurement" (publication: D.V.S. publications New Delhi), pag-12
- Yuvraj Singh Dravin and Deepak Bangari. "Comparative Investigation of Anthropometric Physical Fitness and skill Measurement of Selected Hockey Players of Uttar Pradesh", International Journal of Behavioral Social and Movement Sciences (January 2013), vol.02 (1):118-122.
- Singh Kanwaljeet, Singh KanwarMandeep and Singh Mandeep, "Anthropometric Measurements, Body Composition and Physical Parameters of Indian, Pakistani and Sri Lankan field Hockey Players", Sports Academy Belgrade, (2010), Vol.2: 32
- Swapan K. Dey; Nabanita KAR; and Parthasarthi Debray. "Anthropometric, Motor Ability and Physiological Profiles of Indian National Club Footballers: A Comparative Study." South African Journal for Research in Sport, Physical Education and Recreation, (2010), Vol.32(1):43-56.

